

6POWER, IPv6 and PLC for home automation

Terena 2004


Jordi Palet & Francisco Ortiz

Consulintel

IPv6 & the Home: good “room-mates”

- IPv6 Compelling reason: More Addresses
 - Billions of devices, users, “always-on” technologies
- Main IPv6 Benefits:
 - Expanded addressing capabilities
 - Server-less autoconfiguration (“plug-n-play”) and reconfiguration
 - More efficient and robust mobility mechanisms
 - Built-in, strong IP-layer encryption and authentication
 - Streamlined header format and flow identification
 - Improved support for options / extensions

Typical PLC Network Topology



PLC and WLAN for Broadband

- PLC Key advantage:
 - Power wires are already installed in any location where information could be delivered (access).
 - Traffic lights
 - Information panels
 - Metering systems
 - 3G+ base stations!
 - WLAN Access Points!
 - Security, surveillance
 - Vending machines
 - PLC offer today speeds up to 200 Mbps.
- WLAN
 - Easy to deploy
 - Today speeds up to 54/108 Mbps.

Next generation applications ...


- Every device, even every application, one address !
- End-to-end (and secure end-to-end)
- True Interactive TV
- Intelligent environments
- Example: Intercom (voice or voice&video)
 - Can be easily “upgraded”
 - Can be installed at every place in the home
 - Connectivity with Internet (remote opening/control)
 - Several people using it simultaneously
 - Same device as the computer, PDA, cellular, VoIP phone, etc.
 - Can be used to communicate between neighbors
 - ...

UPnP (Universal Plug & Play)

- Enables discovery and control of network devices and services
- Based on open TCP/IP standards: HTTP, XML, SOAP
- Zero-configuration
- Independent of any particular operating system or programming language:
 - No API definition

UPnP (II)

- Defines:
 - How the devices and control point have to be designed
 - The communication protocol between them
- Addressing:
 - Devices and control points get a valid IPv6 address
- Discovery:
 - Multicast Devices advertises and control points searches:
 - FF02::C:1900



UPnP (III)

- Description:
 - The Devices have an XML file that describes:
 - Name, type, manufacturer, a list of services that contain, etc.
 - Control Points obtain it (HTTP)
- Control:
 - SOAP is used to get the status or to invoke actions over the devices
- Event:
 - Control Points can receive a message when the status of a device change
- Presentation:
 - The devices could have an HTML page to facilitate human access to them

6-Plug

- Secure access to the home or industrial devices with IPv6
 - No problems with NATs and private networks !
 - Using proto-41-forwarding to a tunnel broker
- Use port 80 (433 if SSL)
 - No problems with proxies !
- Tomcat 5.0 web server (with IPv6 Support)
- Windows XP, CE, and Linux/BSD platforms
- Java Server Pages (JSP) Technology
- Java 1.5 (with IPv6 Support)
- Siemens UPnP SDK 1.1 (with IPv6 Support)

6-Plug Security


- SSL Support
 - Web server authentication by digital certificate
 - All transactions encrypted and logged
 - Possible client authentication by digital certificate
- Login and password client authentication when no digital certificate used
- UPnP security:
 - Private/public keys architecture
 - Authorization for actions invocations over the devices at home UPnP network

X.10

- X.10 is a control technology that allows the transmission of digital information over the power line wiring
- The transmitters use zero crossing point of the AC power line to send the messages.
 - Binary 1 is represented by a 1 millisecond burst of 120 kHz
 - Binary 0 by the absence of 120 kHz
- The bandwidth is 50 bps (60 bps at USA)
- Each receiver device has a House Code (A-L) and a Key Code (1-16) that identify itself at the network
- We can switch on/off any electrical devices (dimming is also possible)

X.10 to UPnP Bridge

- The bridge allows us to present every X.10 device in the UPnP network
- The UPnP Controls Points could execute actions over them and watch their status



X.10 to UPnP Bridge (II)

- When the bridge receives an action invocation from an UPnP Control Point the bridge connects by serial port to the X.10 adapter to send the commands to the devices



Puente UPnP X.10

Archivo Edición Ayuda

UDN	Nombre amistoso	Código casa	Código dispositivo	Estado	Nivel
uuid:bfdasdfsdf	Conditioned air	A	3	false	73
uuid:aaaaaaaaa	Garden light	A	1	true	100
uuid:bbb4w42sf	Bedroom blind	A	2	false	100

Encender/Apagar Eliminar dispositivo Agregar dispositivo

Dimming: 73


Other Control Technologies

- Other bridges to UPnP are under design
 - EIB (European Installation Bus):
 - Transmission media: Low voltage (24V) cable
 - 9.600 bps
 - Other available medias: Power Line, radio frequency, infrared, ...
 - Support up to 65.000 devices
 - API Falcon to access to the EIB network
 - LonWorks:
 - Based on the Echelon Neuron Chip
 - Available with different transmission medias
 - and more in the roadmap
- But ... new IPv6 enabled devices available:
 - IPv6 Cameras (LAN & WLAN)
 - IPv6 Set-Top-Boxes (with also interface to X.10 or others)

IPv6, Transition and Coexistence

- Keep dual stack if possible
 - IPv4 with NAT, will be here probably for many years
 - IPv6 end-to-end (including security)
- Use IPv4 to transport IPv6 if no native connectivity available
 - ISPs could not offer native service immediately
 - But IPv6 is still very useful and offers end-to-end
- Not using IPv6 is an opportunity (business) loss
- Old applications revived with IPv6
- IPv6 is not only about addressing but also about INNOVATION


IPv6-enabled Home Network



The Demonstration

Salir

CÁMARA



C2 camara 2

CONTROL DE DISPOSITIVOS DEL HOGAR

Usuario: consulintel Martes, 23 Diciembre 2003

Código	Nombre	Estado
A1	on/off	Encendido
A2	dimmer	Encendido
B1	persiana 1	Encendido
B2	persiana 2	Apagado
B3	persiana 3	Encendido
C1	camara 1	Encendido
C2	camara 2	Encendido
C3	camara 3	Encendido

Mandos de control

Encender Apagar



IPv6-enabled Home Appliances

- There is an incredible market for any kind of IPv6-enabled appliances, with technologies like PLC and WiFi:
 - Cameras
 - Audio
 - Alarm systems
 - Sensors (intrusion, smoke, gas, water, ...)
 - Controllers
 - Dimmers
 - Switches
 - Electro-valves
 - Door-locks
 - Temperature
 - Pet feeders ;-)
- What about the kitchen and the living room ?
- Ambient Intelligence is HERE !

Are you missing your piece of the cake ?

6POWER: Objectives

- Research native IPv6/IPv4 and related protocols or advanced network services (QoS, security, multicast, mobility, ...) support over broadband Power Line.
- Large-scale deployment of very high speed broadband PLC over 45 Mbps !
- Support for emerging technologies: Home automation, VoIPv6, multi-conferencing, audio/video streaming, advanced “next generation” digital set-top-boxes, next generation services (high-speed interactive TV, secure e-commerce, virtual shopping, infotainment and related applications)
- Field Trial and Evaluation, network prototypes, interconnected with other IPv6 trials.

ISOC Paper

<http://www.isoc.org/briefings/013>



Addressing the Digital Divide with IPv6-enabled Broadband Power Line Communications

ISOC MEMBER BRIEFING #13

May 5, 2003

by Jordi Palet

Definition

Power Line Communications (PLC) allows transmission of data over power lines. PLC is potentially the network with the deepest capillarity in the world, since power lines are almost ubiquitous.

IPv6 provides a package of highly scaleable enhancements to the Internet compared to the capabilities of the existing IPv4 protocol, which is today only sustained by Network Address Translation (NAT). NAT has unfortunately created unexpected barriers during the massive growth of the Internet, consequently breaking the initial end-to-end communications concept.

However, this massive IPv4 deployment happened mainly in rich countries, creating a digitally divided society. IPv6, associated with other scaleable technologies like PLC, is key to redressing the balance and alleviating the digital divide, enabling more people and entire countries to access information and knowledge, which in turn will allow them to benefit from the global economy, and create new knowledge and services.

Background

New access technologies, like PLC, that have been evaluated for some years, have failed to support the legacy Internet paradigm. These technologies now have a new opportunity with IPv6, because IPv6 will give value to their deployment.

Power Line Communications has been around since the 1930's but was never seriously thought of as a medium for communication due to its low speed, low functionality and high deployment cost. However, new modulation techniques supported by recent technological advances have finally enabled this medium to become a realistic and practical means of communication.

Recently, new technology has led to integrated circuits and modems entering the market, providing high speeds over power line infrastructure at reasonable and falling cost.

Although several broadband PLC technologies have been successfully developed, there is no standard yet. Some vendors provide "low-speed" (up to 2 Mbps) data rates using single-carrier technologies (GMSK, CDMA). Some technologies are based on multicarrier modulations (OFDM) and offer higher data rates, notably a 45 Mbps OFDM PLC chipset, which is the highest data rate available at this time.

In December 2002, at least one PLC technology vendor announced that during the second half of 2003, a new generation of broadband PLC technology providing 200 Mbps of physical layer data rate would be available as a commercial product.

Technical Issues of PLC

The main advantage of PLC over other technologies is that no new cabling is required, as all the cables are already there. Every building, be it offices, apartments or houses, has the network already installed. This permits a computer,

Download the Paper

This paper available for downloading in the following formats:

- [PDF](#)
- [ASCII](#)

Expanded Coverage from ISOC

In-depth articles, papers, links and other resources on a variety of topics are available from the ISOC site at:

www.isoc.org/internet/issues

Examples in the News

<http://www.ipcf.org/>

http://www.plcforum.com/docs/Italia_Oggi.pdf

http://www.plcforum.com/docs/Com_World.pdf

http://www.plcforum.com/docs/Cinco_Dias.pdf

http://www.plcforum.com/docs/PLCforum-PR_Mannheim.pdf

http://www.6power.org/noticias_6power.php

http://www.6power.org/noticias_ipv6.php

<http://the.honoluluadvertiser.com/article/2002/Nov/22/bz/bz01a.html>

http://www.6power.org/noticias_6power.php

http://www.6power.org/noticias_ipv6.php

<http://the.honoluluadvertiser.com/article/2002/Nov/22/bz/bz01a.html>

http://www.6power.org/noticias_6power.php

http://www.6power.org/noticias_ipv6.php

<http://the.honoluluadvertiser.com/article/2002/Nov/22/bz/bz01a.html>

Relevant IETF RFCs

Over 50 RFCs have been published by different IETF Working Groups, including those directly implicated in the standardization of IPv6, but also some others. A new WG is being formed, Zerouter, that will facilitate the large scale deployment of networks, facilitating the autoconfiguration of the devices at both, the customer end, and the ISP network itself.

From OnTheInternet

<http://www.isoc.org/oti/articles/1201/g8.html>

<http://www.isoc.org/oti/articles/1201/wilkinson.html>

<http://www.isoc.org/oti/articles/0601/rao3.html>

<http://www.isoc.org/oti/articles/0601/wang.html>

<http://www.isoc.org/oti/articles/0601/wang.html>

<http://www.isoc.org/oti/articles/0601/wang.html>

Thanks !

Contact:

- **Jordi Palet (Consulintel):** jordi.palet@consulintel.es
- **Madrid 2004 Global IPv6 Summit, soon more info at:**
<http://www.ipv6-es.com>

- **6POWER Project Coordinators**

- **Jordi Palet Martínez (Consulintel):**
- **Chano Gómez (DS2):**

jordi.palet@consulintel.es

chano.gomez@ds2.es